AFA

#### PATENT APPLICATION

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re application of

Docket No: Q75615

Mathieu BARQUIN, et al.

Appln. No.: 10/609,633

Group Art Unit: 2687

Confirmation No.: 4950

Examiner: Khai Minh NGUYEN

Filed: July 1, 2003

For:

METHOD FOR PROVIDING SERVICE MANAGEMENT TO NETWORK ELEMENTS

OF A CELLULAR COMMUNICATION NETWORK

#### SUBMISSION OF APPEAL BRIEF

## **MAIL STOP APPEAL BRIEF - PATENTS**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith please find an Appeal Brief. A check for the statutory fee of \$500.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this paper is attached.

Respectfully submitted,

Christopher R. Lipp

Registration No. 41,157

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373

CUSTOMER NUMBER

Date: July 10, 2006

D



## PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re application of

Docket No: Q75615

Mathieu BARQUIN, et al.

Appln. No.: 10/609,633

Group Art Unit: 2687

Confirmation No.: 4950

Examiner: Khai Minh NGUYEN

Filed: July 1, 2003

For:

METHOD FOR PROVIDING SERVICE MANAGEMENT TO NETWORK ELEMENTS

OF A CELLULAR COMMUNICATION NETWORK

## APPEAL BRIEF UNDER 37 C.F.R. § 41.37

## MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 41.37, Appellant submits the following:

## **Table of Contents**

I.	REAL PARTY IN INTEREST	2
II.	RELATED APPEALS AND INTERFERENCES	3
III	STATUS OF CLAIMS	4
IV.	STATUS OF AMENDMENTS	5
V.	SUMMARY OF THE CLAIMED SUBJECT MATTER	6
VI.	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	9
VII.	ARGUMENT	10
CLA	AIMS APPENDIX	16
EVI	DENCE APPENDIX:	19
REI	RELATED PROCEEDINGS APPENDIX	

## I. REAL PARTY IN INTEREST

The real party in interest in this appeal is Evolium S.A.S. Assignment of the application was recorded in the U.S. Patent and Trademark Office on July 1, 2003 at Reel 014269, Frame 0821.

## II. RELATED APPEALS AND INTERFERENCES

There are no known appeals or interferences that will affect, be directly affected by, or have a bearing on the Board's decision in the pending appeal.

## III. STATUS OF CLAIMS

Claims 1-8 are all of the claims pending in the application. Claims 1-8 are rejected under 35 U.S.C § 103(a) as being unpatentable over Niklasson (U.S. Patent Application Publication No. 2003/0179772) in view of Hirsch (U.S. Patent Application Publication No. 2003/0162537). All of the claims are set forth in the attached Appendix.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln. No. 10/609,633

# IV. STATUS OF AMENDMENTS

No claim amendments were requested subsequent to the November 15, 2005 Office Action.

## V. SUMMARY OF THE CLAIMED SUBJECT MATTER

The claimed invention is directed to a method for providing service management to network elements in a cellular communication network, and to a method for controlling the data exchange format between the network elements and an Operation and Maintenance Center of the cellular communication network.

Network elements (21 and 22 of figure 2) and an Operation and Maintenance Center (23) which may include a mediation server (231) and a module (232) for providing common management functionality, are provided in a cellular network. The network elements respectively use a first and second data exchange format for communicating with the Operation and Maintenance Center (Specification at page 5, lines 4-6). If the Operation and Maintenance Center is handling several network elements using different data formats, the mediation server identifies a change in the data exchange format used by each network element (Specification at page 5, lines 14-18). Upon identifying the change in data exchange format, the mediation server dynamically switches from an old data exchange format to a new identified data exchange format with performing a restart or reboot at the Operation and Maintenance Center (Specification at page 5, lines 14-23).

Several meditation servers may be used to handle traffic or the transmission of data between the network elements and the Operation and Maintenance Center. The mediation server has means 31 for detecting or identifying a change in the used data exchange format. Upon

reception and identification of data over the interface 33, means 31 checks if the received data exchange format matches with a previously stored data exchange format. If it does not match a previously stored data exchange format, means 32 dynamically switches from an old data exchange format to a new identified data exchange format (Specification at page 6, lines 15-26). The switching is done without restarting or rebooting the Operation and Maintenance Center, thereby preventing interruption of the service provided by the Operation and Maintenance Center. (Specification at page 5, lines 14-23).

Independent claim 1 is directed to a method for providing service management to network elements of a cellular communication network (Specification at page 1, lines 10-13; page 2, line 26 to page 3, line 8 and Figure 2), the network elements communicating with an Operation and Maintenance Center of the cellular network by sending data having a data exchange format (Specification at page 5, lines 4-10), the data exchange format being translated in an Operation and Maintenance Center specific data format at a mediation server (Specification at page 5, line 14 to page 6, line 26). Claim 1 requires "identifying at the mediation server a change in the used data exchange format from a first data exchange format to a second data exchange format" (Specification at page 5, lines 14-23), and "dynamically switching from the first data exchange format to the second identified data exchange format" (Specification at page 5, lines 14-23 and page 6, lines 10-26).

Independent claim 5 is directed to "a mediation server used for translating a first data exchange format used by a network element of a cellular communication network to a second

data exchange format used by an Operation and Maintenance Center." (Specification at page 5, lines 4-23 and page 6, lines 4-26), where the mediation server comprises means 31 for identifying a change from the first data exchange format to the second data exchange format (Specification at page 6, lines 10-26 and Figure 3), and means 32 for dynamically switching from the first data exchange format to the second identified data exchange format (Specification at page 6, lines 10-26 and Figure 3).

# VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Rejection of claims 1-8 under 35 U.S.C § 103(a) as being unpatentable over Niklasson in view of Hirsch.

#### VII. ARGUMENT

Appellant respectfully submits that claims 1-8 would not have been rendered obvious in view of the combination of Niklasson and Hirsch because the combined references do not teach or suggest all of the features of the claimed invention, and one skilled in the art would not have been motivated to modify the system of Niklasson to produce the claimed invention based on the teachings of Hirsch.

Independent claim 1 recites "a method for providing service management to network elements of a cellular communication network......compris[ing] identifying at said mediation server a change in said used data exchange format from a first data exchange format to a second data exchange format; and dynamically switching from said first data exchange format to said second identified data exchange format."

Niklasson discloses a system (700, Figure 1) for exchanging large amounts of information or data between a plurality of different communication networks (paragraph [0022]), for example, a mobile telephone network (1, Figure 1); a fixed network for telephone and facsimile transmissions (2, Figure 1), and the Internet (3, Figure 1). See also the Abstract, lines 1-2 and the Specification at paragraph [0022]. The system 700 includes participants 11, 21, and 31 (Figure 1) of the different networks; data transmission units 310, 320, and 330 (Figure 1); routers 410 and 420 (Figure 1); service processing unit 510 (Figure 1) and a computer 610 (Figure 1).

The Niklasson system 700 (Figure 1) receives information/data from one of the communication networks (for example, network 1). This data is converted via the data transmission unit 310 into the system internal data format of system 700 (paragraph [0038]). This data is subsequently sent to a data transmission unit (for example, unit 320) where it is converted from the system internal data into the format of the target communication network 2 (paragraph [0044]).

Thus, the system 700 is used to allow one network (mobile telephone network 1) to communicate with another network (fixed network for telephone and facsimile transmissions 2), by converting the data from the source network into a system internal data format, and then into the format of the target network.

However, the present invention is directed to communications within <u>a</u> cellular or mobile communication system, and to a "method for providing service management to network elements of a communication network," wherein the network elements communicate with an Operation and Maintenance Center of the communication network. This is contrary to the teachings of Niklasson, which focuses on communications between <u>plural</u> communication networks, and is directed to the broader aspect of having a cellular communication system communicating with <u>other</u> types of networks.

There is <u>no</u> disclosure of having any of the components (in Niklasson) placed within a cellular network, as in the claimed invention. In fact, as disclosed in paragraphs [0028] and

[0030], Niklasson indicates that the relative components of the system can and should be located remotely from any of the networks 1, 2, or 3.

Specifically, Niklasson fails to disclose a method for providing service management to network elements of a communication network where the network elements communicate with an Operation and Maintenance Center of the communication network.

The Examiner acknowledges that Niklasson fails to disclose the network elements communicating with the Operation and Maintenance Center of the network and relies on Hirsch to cure this deficiency, and submits that it would have been obvious to combine these references to produce the claimed invention.

Hirsch relates to communication system devices for updating information in an object oriented, hierarchical communications system with at least two administrative levels via a producer-independent interface between a producer-independent managing device an at least one Operation and Maintenance Center. The teaching allows for the processing of fault information at intervals when agent devices do not carry out these tasks, and for the updating of proprietary hardware information at a multi vendor interface or non-proprietary Operation and Maintenance Center interface in a mobile radio network (paragraph [0015]).

As with Niklasson, Hirsch also appears to be geared towards network-to-network communications (see Figure 1) as opposed to the claimed intra-network communications.

To establish a *prima facie* case of obviousness under 35 U.S.C. § 103, there must be some suggestion or motivation to modify or combine the reference teachings. "To support the conclusion that the claimed invention is directed to obvious subject matter, either references

must expressly or impliedly suggest the claimed invention or the examiner must present a convincing line of reasoning as to why the artisan would have found the claimed invention to have been obvious in light of the teachings of the reference." Ex parte Clapp 227 USPQ 972, 973 (Bd. Pat. App. & Inter. 1985). However, in the present case the Examiner has not provided any objective reasoning why one of ordinary skill in the art would have been motivated to modify Niklasson in view of Hirsch. Moreover, the Examiner does not address how one of ordinary skill in the art would have been able to modify Niklasson in view of Hirsch to produce the claimed invention. Niklasson and Hirsch are directed to network-to-network communication, and Appellant submits that the combination of these references would not teach a skilled artisan to use the Niklasson and Hirsch communications methods within a single network. In fact, there is no teaching at all that such a communication methodology would work within a network, as opposed to network-to-network communications to which Niklasson and Hirsch are directed.

Thus, absent any evidence at all that the Examiner's combination of references could overcome, or even address this issue, there is no motivation to combine the two teachings, and, indeed, no indication whatever that the two references could be successfully combined, even if one were to attempt to do so. A proper §103 rejection requires both of these indicators, i.e., motivation to combine and a reasonable expectation of success. For this reason, the Examiner's §103 rejection clearly fails.

Further, the cited references do not teach, disclose or suggest identifying at said

mediation server a change in said used data exchange format from a first data exchange format to

a second data exchange format, and dynamically switching from said first data exchange format

to said second identified data exchange format as required by independent claim 1. The Examiner cites Figure 1, and paragraphs [0007], [0010], [0011], and [0034] of Niklasson as allegedly disclosing these features of the claimed invention. However, there is simply no disclosure of these features in the cited sections. Paragraph [0011] of Niklasson merely discloses the conversion of the information from the source network to an internal data format. Niklasson does not identify a change in used data exchange format from a first data exchange format to a second data exchange format, and dynamically switch from the first data exchange format to the identified data exchange format.

Independent claim 5 has features analogous to claim 1. For example, claim 5 recites:

a mediation server used for translating a first data exchange format used by a network element of a cellular communication network to a second data exchange format used by an Operation and Maintenance Center, wherein the mediation server comprises;

means for identifying a change from said first data exchange format to said second data exchange format; and

means for dynamically switching from said first data exchange format to said second identified data exchange format.

For the same reasons discussed above with regard to claim 1, Appellant respectfully submits that claim 5 would not have been rendered obvious in view of Niklasson and Hirsch

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

U.S. Appln. No. 10/609,633

because the cited references, alone or in combination, do not teach or suggest all of the features

of the claimed invention, and one skilled in the art would not have been motivated to modify the

system of Niklasson to produce the claimed invention based on the teachings of Hirsch.

Accordingly, Appellant respectfully submits that claim 5 and its dependent claims 6-8, are

patentable over the cited references for at least the same reasons mentioned for claim 1.

In view of the foregoing, Appellant respectfully submits that the rejection of claims 1-8

should be reversed.

Unless a check is submitted herewith for the fee required under 37 C.F.R. §41.37(a) and

1.17(c), please charge said fee to Deposit Account No. 19-4880.

The USPTO is directed and authorized to charge all required fees, except for the Issue

Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any

overpayments to said Deposit Account.

Respectfully submitted,

Christopher R. Lipp

Registration No. 41,157

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

washington office 23373
customer number

Date: July 10, 2006

15

## **CLAIMS APPENDIX**

## **CLAIMS 1-8 ON APPEAL:**

- 1. (PREVIOUSLY PRESENTED) A method for providing service management to network elements of a cellular communication network, said network elements communicating with an Operation and Maintenance Center of said cellular communication network by sending data having a data exchange format, said data exchange format being translated in an Operation and Maintenance Center specific data format at a mediation server, wherein said method comprises:
- identifying at said mediation server a change in said used data exchange format from a first data exchange format to a second data exchange format; and
- dynamically switching from said first data exchange format to said second identified data exchange format.
- 2. (PREVIOUSLY PRESENTED) The method according to claim 1, wherein said method further comprises:
- representing said second data exchange format as a class in an object oriented program; and
- dynamically uploading the class using the Java programming language to switch from said first data exchange format to said second data exchange format.

3. (PREVIOUSLY PRESENTED) The method according to claim 1, wherein the method further comprises:

selecting one of a plurality of mediation servers for handling information from at least one of said network elements according to a predefined load balancing policy.

- 4. (PREVIOUSLY PRESENTED) The method according to claim 1, wherein said data exchanged between at least one of said network elements and said Operation and Maintenance Center contains a new software version download from the Operation and Maintenance Center to said at least one of said network elements.
- 5. (PREVIOUSLY PRESENTED) A mediation server used for translating a first data exchange format used by a network element of a cellular communication network to a second data exchange format used by an Operation and Maintenance Center; wherein said mediation server comprises:
- means for identifying a change from said first data exchange format to said second data exchange format;
- means for dynamically switching from said first data exchange format to said second identified data exchange format.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln. No. 10/609,633

- 6. (PREVIOUSLY PRESENTED) The mediation server according to claim 5, wherein said means for dynamically switching from said first data exchange format to said second identified data exchange format uses the Java programming language.
- 7. (PREVIOUSLY PRESENTED) The mediation server according to claim 5, wherein the mediation server is a software component part of said Operation and Maintenance Center.
- 8. (PREVIOUSLY PRESENTED) The mediation server according to claim 5, wherein the mediation server is a software component on a stand alone device connectable to said Operation and Maintenance Center.

# **EVIDENCE APPENDIX:**

There has been no evidence submitted pursuant to 37 C.F.R. §§ 1.130, 1.131, or 1.132 or any other similar evidence.

APPEAL BRIEF UNDER 37 C.F.R. § 41.37 U.S. Appln. No. 10/609,633

# **RELATED PROCEEDINGS APPENDIX**

There are no related proceedings.